

	Hits	Search Text	DBs
1	219	((adjust\$4 or regulat\$4 or alter\$5 or chang\$4 or amend\$4 or modif\$5) with log\$1 with (file\$1 adj system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	185	S2 and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	26	S3 and (logical near2 volume\$1) and disk\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	S4 and ((assign\$4 or allot\$4 or distribut\$4) with space\$1 with volume\$1 with size\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	6	S4 and ((assign\$4 or allot\$4 or distribut\$4) with space\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	0	S6 and size\$1 and (reformat\$4 or format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	0	S8 and (reformat\$4 or format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	6	S6 and size\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	1	("20020053009").PN.	US-PGPUB; USPAT
10	12	((("20030167409") or ("20030101183") or ("6604183") or ("6553387") or ("20030028515") or ("20030018619") or ("6389433") or ("6389427") or ("20020095495") or ("20020147733") or ("6249792") or ("5897661"))).PN.	US-PGPUB; USPAT
11	5	S8 and compress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	4	S1 and compress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	20	S4 not S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	7	S13 and (compress\$4 or shrink\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	7	S13 and compress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	7	S14 and (reformat\$4 or format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	7	S28 and space\$1 and size\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	11	S24 and volume\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	0	S24 and (logical near2 volume\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	7	S19 and (fdisk\$1 or (format\$4 with (log\$1 or space\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	0	S24 and (logical near2 volume\$1) and disk\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	185	S17 and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	0	S28 and (virtual near5 volume\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	0	S24 and (logical near9 volume\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	36	S23 and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	5	S28 and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	2	S21 and (logical near2 volume\$1) and disk\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	26	S18 and (logical near2 volume\$1) and disk\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	41	reformat\$4 near5 log\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	3	S18 and ((format\$4 or reformat\$4) adj log\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31	3	S31 and administrator\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	219	((adjust\$4 or regulat\$4 or alter\$5 or chang\$4 or amend\$4 or modif\$5) with log\$1 with (file\$1 adj system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	2	((re\$1format\$4 or re\$1allocat\$4 or adjust\$4 or alter\$6 or chang\$4 or amend\$4 or mdoif\$6) near5 (in\$1line adj log\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	1	S35 and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	3	((re\$1format\$4 or re\$1allocat\$4 or adjust\$4 or alter\$6 or chang\$4 or amend\$4 or mdoif\$6) near5 (in\$1line adj log\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	3	((re\$1format\$4 or adjust\$4 or alter\$6 or chang\$4 or amend\$4 or mdoif\$6) near5 (in\$1line adj log\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
37	58	in\$1line adj log\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	2	((re\$1format\$4 or re\$1allocat\$4 or adjust\$4 or alter\$6 or chang\$4 or amend\$4) with (in\$1line adj log\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	2254 8	((re\$1format\$4 or re\$1allocat\$4 or adjust\$4 or alter\$6 or chang\$4 or amend\$4) with log\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	7	(in\$1line adj log\$1) and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	0	S38 and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	5	S40 and ((re\$1format\$4 or re\$1allocat\$4 or adjust\$4 or alter\$6 or chang\$4 or amend\$4) with log\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	5	S42 not S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
44	3	S46 and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	11	S52 not S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	1	S52 and administrator\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	12	S49 and (logical or virtual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	16	in\$1line with log\$4 with size\$1 and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	11	S55 and ((log\$4 or size\$1) with (adjust\$4 or chang\$4 or alter\$5 or modif\$6 or amend\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	0	S49 and ((logical or virtual) with volume\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
51	1142	in\$1line with log\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	0	S49 and ((logical or virtual) near5 volume\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	31	S48 and (size\$1 with (adjust\$4 or chang\$4 or alter\$5 or modif\$6 or amend\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	794	S44 and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	6	(in\$1line with log\$4 with size\$1 with (adjust\$4 or chang\$4 or alter\$5 or modif\$6 or amend\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	333	(in\$1line near5 log\$4) and @ad < "20040212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB